

SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

SECTION 1: Identification

Product identifier

Product name Phosphate Reagent #1

Product number R-0980

Recommended use and

restrictions

To be used in accordance with manufacturer instructions or under the direct guidance of the

manufacturer.

Manufacturer Taylor Technologies, Inc.

31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340

Emergency phone: (800) 837-8548

SECTION 2: Hazard(s) identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsEye damage/irritationCategory 1Skin corrosion/irritationCategory 1A

Environmental hazards Not data available

Label elements

Hazard pictograms



Signal word Danger

Hazard statements May be corrosive to metals. Causes severe skin burns and eye damage.

Precautionary statements

Prevention Keep only in original container. Do not breathe dust or mists. Wash skin thoroughly after

handling. Wear protective gloves/protective clothing/eye protection/face protection if contact is

likely to occur.

Response Absorb spillage to prevent material damage. IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Immediately call a physician or poison control center. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (OR HAIR): Immediately take off all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a physician or poison control

center.

Storage Store in a corrosive-resistant container with a corrosive-resistant inner liner. Store locked up.

Keep tightly capped. Store out of direct sunlight between 36°F–85°F. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazards not otherwise classified Not applicable

SECTION 3: Composition/information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	% w/w
Water	Dihydrogen oxide	7732-18-5	60-80
Sulfuric acid	Oil of vitriol	7664-93-9	10-30
Sodium molybdate dihydrate	Molybdic acid sodium salt dihydrate	10102-40-6	1-5

SECTION 4: First-aid measures

If inhaled

SDS US

Remove individual to fresh air. Seek medical advice/attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical advice/attention if irritation develops. Chemical burns must be treated by a physician.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

If swallowed

Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting measures

Extinguishing media

Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Specific hazards arising from the substance or mixture

Fire hazard Not flammable Explosion hazard Not explosive

Reactivity May be corrosive to metals

Hazardous combustion products Sulfur oxides. Other irritating fumes and smoke.

Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting Use water spray or fog for cooling exposed containers.

equipment/instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Ventilate the area. Dike the spilled material where this is possible. Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water. Dilute acid with water and neutralize with dilute base. If not recoverable, dilute with water or flush to holding area and neutralize. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Personal precautions, protective equipment, and emergency procedures

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Store in corrosive-resistant container with a corrosive-resistant inner liner. Store locked up. Keep tightly capped. Store out of direct sunlight between 36°F-85°F. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

Occupational exposure limits

US ACGIH Threshold Limit Values

Components	Туре	Value	
Sulfuric acid (CAS 7664-93-9)	TWA 0.2 mg/m³ (thorate)		
Molybdenum as mo (CAS 7439-98-7)	TWA	0.5 mg/m ³ (respirable fraction)	
US NIOSH: Pocket Guide to Chemical Hazards	3		
Components	Туре	Value	
Sulfuric acid (CAS 7664-93-9)	TWA	1 mg/m ³	
Sulfuric acid (CAS 7664-93-9)	IDLH	15 mg/m ³	
Molybdenum as mo (CAS 7439-98-7)	IDLH	1000 mg/m ³	
US OSHA Table Z-1 Limits for Air Contaminan	ts (29 CFR 1910.1000)		
Components	Туре	<u>Value</u>	
Sulfuric acid (CAS 7664-93-9)	TWA	1 mg/m ³	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Molybdenum as mo (CAS 7439-98-7)

Exposure controls

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

TWA

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling

 5 mg/m^3

this product.

Personal protective equipment

Eye/face protection Wear appropriate chemical safety goggles if contact is likely to occur.

Skin protection Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.

Body protection Wear appropriate protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the

exposure limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Color Clear, colorless

Odor Odorless

Odor threshold No data available No data available рΗ Evaporation rate No data available Melting point No data available Freezing point No data available Initial boiling point (boiling range) No data available Flash point No data available Specific gravity No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Upper Flammability Limit No data available Lower Flammability Limit No data available Vapor pressure No data available Vapor density No data available

Solubility Soluble in all proportions Partition coefficient

(n-octanol/water)

Viscosity Explosive properties

No data available

No data available No data available Oxidizing properties No data available

SECTION 10: Stability and reactivity

Reactivity May be corrosive to metals.

Chemical stability Stable under recommended handling and storage conditions (refer to section 7 of the SDS).

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Do not use in areas without adequate ventilation.

Incompatible materials Metal compounds, nitromethane, oxidizing agents, sugars, strong bases. Hazardous decomposition

products

No hazardous decomposition products under conditions of normal use.

SECTION 11: Toxicological information

Information on toxicological effects

Likely routes of exposure are skin/eye contact and ingestion.

Most important

symptoms/effects, acute and delayed

Direct skin contact may cause corrosive skin burns, deep ulcerations, and possibly permanent scarring.

Direct contact with concentrated solutions may be corrosive and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurred

Inhalation of mists can cause respiratory irritation. Symptoms may include coughing, choking, and wheezing. Inhalation could result in pulmonary edema (fluid accumulation). Symptoms of

pulmonary edema (chest pain, shortness of breath) may be delayed.

May produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding.

Acute toxicity This product is not classified as an acute toxicity hazard. See below for product and individual

ingredient acute toxicity data.

Product Species Acute Toxicity Estimate (ATE)

Phosphate reagent #1 (CAS Mixture)

Acute

Dermal

LD₅₀ Rat

No data available

Inhalation

LC₅₀ Rat Not classified as an acute toxicity hazard

Oral

LD₅₀

Rat >2000 mg/kg

Species Components Acute Toxicity Estimate (ATE)

Sulfuric acid (CAS 7664-93-9)

Acute

Dermal

 LD_{50} Rat No data available

Inhalation

LC₅₀ Rat 0.375mg/L, 4 hour (for aerosol mists)

Oral

LD₅₀ Rat 2140 mg/kg

Sodium molybdate (CAS 10102-40-6)

Acute

Dermal

LD₅₀ Rat No data available

Inhalation

 LC_{50} Rat 1.93 mg/L, 4 hour

Oral

LD₅₀ Rat >2000 mg/kg

Skin corrosion/irritationCauses severe skin burnsSerious eye damage/eye irritationCauses serious eye damage

Respiratory sensitizationNo data availableSkin sensitizationNo data availableGerm cell mutagenicityNo data available

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

Not regulated

US National Toxicology Program (NTP) Report on Carcinogens

Not regulated

Reproductive toxicity

No data available

Specific target organ toxicity

No data available

(single exposure)

Specific target organ toxicity No data available

(repeated exposure)

Aspiration hazard No data available

SECTION 12: Ecological information

Ecotoxicity This product is not classified as environmentally hazardous.

Persistence and degradability

Bioaccumulative potential

Mobility in soil

No data available

No data available

Other adverse effects Large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

DOT

UN number 2796

UN proper shipping name

Reportable quantity

Class (Subsidiary risk)

Label(s)

Sulphuric acid
1000lbs

8

Packing group ||

Special provisions 386, A3, A7, B2, B15, IB2, N6, N34, T8, TP2

Packaging exceptions 154
Packaging, non-bulk 202

IATA

UN number 2796

UN proper shipping name Sulphuric acid

Class (Subsidiary risk) 8
Packing group ||

Special provisions None listed

IMDG

UN number 2796

UN proper shipping name Sulphuric acid

Class (Subsidiary risk) 8
Packing group II

Environmental hazards

Marine pollutant No

Special provisions None listed EmS F-A, S-B

Special precautions for user Read safety instructions, SDS, and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC Code

DOT hazard pictograms

This substance/mixture is not intended to be transported in bulk.



IATA; IMDG hazard pictograms



SECTION 15: Regulatory information

US federal regulations

CERCLA Hazardous Substance (40 CFR 302.4)

Chemical nameCAS numberReportable QuantitySulfuric acid7664-93-91000 lbs

SARA 302 Extremely Hazardous Substance (40 CFR 355 Appendices A / B)

Chemical nameCAS numberReportable QuantitySulfuric acid7664-93-91000 lbs

SARA 304 Emergency Release Notification

Chemical nameCAS numberReportable QuantitySulfuric acid7664-93-91000 lbs

SARA 311/312 Hazardous Chemical

Chemical name CAS number

Sulfuric acid 7664-93-9

SARA 313 (TRI reporting)

Not regulated

TSCA Section 8(b) Chemical Inventory

All components are on the U.S. EPA TSCA Inventory list.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs)

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated

Clean Water Act, Toxic and Priority Pollutants (40 CFR 401.15 and CFR 423, Appendix A)

Not regulated

Safe Drinking Water Act (SDWA)

Not regulated

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (California Proposition 65)

Not regulated

Massachusetts Right-to-Know Act

Chemical nameCAS numberSulfuric acid7664-93-9

New Jersey Worker and Community Right-to-Know Act

Chemical nameCAS numberSulfuric acid7664-93-9

Pennsylvania Worker and Community Right-to-Know Act

Chemical nameCAS numberSulfuric acid7664-93-9

Rhode Island Right-to-Know Act

Chemical nameCAS numberSulfuric acid7664-93-9

SECTION 16: Other information

NFPA Rating

Health hazard 2
Fire hazard 0
Reactivity 0
Specific N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date:

May 2015

Last revisions

February 2019